

Author Index to Volume 192

- Abe, S., M. Schreiber and W.-P. Su, Nonlinear optical susceptibilities of polysilanes: excitation effect 192 (1992) 425
- Abe, T., see K. Kajikawa 192 (1992) 113
- Adamowicz, L., C_2H_2 -CO complex. Ab initio calculations with the coupled-cluster method and first-order correlation orbitals 192 (1992) 199
- Alameddini, G., J. Hunter, D. Cameron and M.M. Kappes, Electronic and geometric structure in silver clusters 192 (1992) 122
- Al-Janabi, F.A.H., see M. Hippler 192 (1992) 173
- Alpert, B., see V. Le Tilly 192 (1992) 62
- Alvarez, L.J., J. Fernández Sanz, M.J. Capitán and J.A. Odriozola, Molecular dynamics studies of the structure of γ -alumina 192 (1992) 463
- Andersson, K., see B.O. Roos 192 (1992) 5
- Anzai, T., see K. Kajikawa 192 (1992) 113
- Aquilanti, V., R. Candori, D. Cappelletti, V. Lorent and F. Pirani, A magnetically selected beam of chlorine atoms 192 (1992) 145
- Aquilanti, V., D. Cappelletti, V. Lorent, E. Luzzatti and F. Pirani, The ground and lowest excited states of XeCl by atomic beam scattering 192 (1992) 153
- Asensio, M.C., D.P. Woodruff, A.W. Robinson, K.-M. Schindler, P. Gardner, D. Ricken, A.M. Bradshaw, J.C. Conesa and A.R. González-Elipe, Single local site structure for vibrationally distinct adsorption states: NO on Ni(111) 192 (1992) 259
- Atkins, M.J., A.C. Legon and A.L. Wallwork, The pairwise interaction of methane and hydrogen bromide: properties of the weakly bound dimer $CH_4 \cdots HBr$ from microwave spectroscopy 192 (1992) 368
- Bacal, M., see C. Gorse 192 (1992) 161
- Bacalis, N.C., see C.A. Nicolaides 192 (1992) 486
- Bakowies, D. and W. Thiel, Theoretical study of buckminsterfullerene derivatives $C_{60}X_n$ ($X = H, F$; $n = 2, 36, 60$) 192 (1992) 236
- Ballhausen, C.J., Time-dependent raising and lowering operators for the ageing, forced and damped oscillator in quantum mechanics 192 (1992) 49
- Barandiarán, Z., see L. Seijo 192 (1992) 217
- Bartkiewicz, E., see O.J. Nielsen 192 (1992) 82
- Bässler, H., see R.F. Mahrt 192 (1992) 576
- Bauschlicher Jr., C.W., see M. Sodupe 192 (1992) 185
- Beaudet, R.A., see Z.S. Huang 192 (1992) 309
- Behm, R.J., see A. Feltz 192 (1992) 271
- Benito, R.M., see J.M. Gomez Llorente 192 (1992) 430
- Ben-Nun, M. and R.D. Levine, An approximate solution of the Fokker-Planck equation for reactions in condensed phases 192 (1992) 472
- Berenguer, N., see J.M. Gomez Llorente 192 (1992) 430

- Bernardi, F., A. Bottoni, P. Celani, M. Olivucci, M.A. Robb and A. Venturini, The existence and stability of singlet tetramethylene biradicals: an ab initio MCSCF/MP2 study 192 (1992) 229
- Bodor, N. and M.-J. Huang, Optimized structures and relative stabilities of the isomers of $(\text{CO}_2)_{2n+1}$ ($1 \leq n \leq 6$) from AM1 calculations 192 (1992) 386
- Bognar, J.A., see W.B. Knighton 192 (1992) 522
- Bonang, C.C. and S.M. Cameron, Resonance hyper-Raman and Raman scattering from benzene and fluorobenzene 192 (1992) 303
- Borondo, F., see J.M. Gomez Llorente 192 (1992) 430
- Bottoni, A., see F. Bernardi 192 (1992) 229
- Boutalib, A. and J.P. Daudey, Theoretical study of the atomic spectra of the calcium atom 192 (1992) 493
- Bradshaw, A.M., see M.C. Asensio 192 (1992) 259
- Bräuchle, C., see B. Sauter 192 (1992) 321
- Buchachenko, A.L., V.F. Tarasov, N.D. Ghatlia and N.J. Turro, Magnetic probing of transition states 192 (1992) 139
- Byers Brown, W., M.A. Vincent, K. Trollope and I.H. Hillier, Van der Waals and charge-transfer complexes of molecular oxygen and water 192 (1992) 213
- Cameron, D., see G. Alameddini 192 (1992) 122
- Cameron, S.M., see C.C. Bonang 192 (1992) 303
- Campargue, A., J. Vetterhöffer and M. Chenevier, Rotationally resolved overtone transitions of $^{70}\text{GeH}_4$ in the visible and near-infrared 192 (1992) 353
- Candori, R., see V. Aquilanti 192 (1992) 145
- Capitán, M.J., see L.J. Alvarez 192 (1992) 463
- Capitelli, M., see C. Gorse 192 (1992) 161
- Cappelletti, D., see V. Aquilanti 192 (1992) 145
- Cappelletti, D., see V. Aquilanti 192 (1992) 153
- Celani, P., see F. Bernardi 192 (1992) 229
- Celiberto, R., see C. Gorse 192 (1992) 161
- Chandler, D.W., see G. Meijer 192 (1992) 1
- Charra, F., D. Fichou, J.-M. Nunzi and N. Pfeffer, Picosecond photoinduced dichroism in solutions of thiophene oligomers 192 (1992) 566
- Chenevier, M., see A. Campargue 192 (1992) 353
- Chupka, W.A., see Y. Wang 192 (1992) 348
- Clary, D.C., Bond-selected reaction of HOD with H atoms 192 (1992) 34
- Claxton, T.A., Dj.M. Maric and P.F. Meier, Structure of anomalous muonium and the importance of zero-point energy 192 (1992) 29
- Cohen, M.J., N.C. Handy, R. Hernandez and W.H. Miller, Cumulative reaction probabilities for $\text{H} + \text{H}_2 \rightarrow \text{H}_2 + \text{H}$ from a knowledge of the anharmonic force field 192 (1992) 407
- Conesa, J.C., see M.C. Asensio 192 (1992) 259
- Crawford, T.D. and W. Yang, The Hartley basis functions and transform: alternatives to plane waves and the Fourier transform 192 (1992) 45
- Curl, R.F., see K.K. Murray 192 (1992) 512
- Da Costa, H.F.M., A.M. Simas, V.H. Smith Jr. and M. Trsic, The generator coordinate Hartree-Fock method for molecular systems. Near Hartree-Fock limit calculations for N_2 , CO and BF 192 (1992) 195
- Dan, P., see H.T. Liou 192 (1992) 560

- Daudey, J.P., see A. Boutalib 192 (1992) 493
- Davis, M.J., Smoothed eigenstates from molecular spectra 192 (1992) 479
- Dinur, U., Bond contraction and spectral blue-shift in hydrogen-bonded dimers. An atom-based molecular mechanics analysis 192 (1992) 399
- Dllott, D.D., see X. Wen 192 (1992) 315
- Doverstål, M., B. Lindgren, U. Sassenberg and H. Yu, The A-X system of the copper dimer studied by resonant two-photon ionization spectroscopy 192 (1992) 283
- Dreger, Z.A., see J.M. Lang 192 (1992) 299
- Drickamer, H.G., see J.M. Lang 192 (1992) 299
- Duncan, M.A., see K.F. Willey 192 (1992) 179
- Eiswirth, M., M. Lübke, K. Krischer, W. Wolf, J.L. Hudson and G. Ertl, Structural effects on the dynamics of an electrocatalytic oscillator 192 (1992) 254
- Ellermann, T., see O.J. Nielsen 192 (1992) 82
- Ertl, G., see M. Eiswirth 192 (1992) 254
- Feltz, A., U. Memmert and R.J. Behm, In situ STM imaging of high temperature oxygen etching of Si(111)(7×7) surfaces 192 (1992) 271
- Ferkel, H., State-selected chemiionization cross sections of $\text{He}^*(2^1\text{S}) + \text{H}_2$ in the energy range from 0.1 to 1.6 eV 192 (1992) 327
- Fernández, A., Modulation of the stability of a replication complex and its effect on the rate of chain elongation: extending the notion of processivity 192 (1992) 294
- Fernández Sanz, J., see L.J. Alvarez 192 (1992) 463
- Fichou, D., see F. Charra 192 (1992) 566
- Fitzmaurice, D.J. and H. Frei, Electronic absorption of alkyl nitrite radicals in the 300–700 nm region 192 (1992) 166
- Flynn, G.W., see J. Park 192 (1992) 138
- Frei, H., see D.J. Fitzmaurice 192 (1992) 166
- Fukuda, A., see K. Kajikawa 192 (1992) 113
- Fülscher, M.P., see B.O. Roos 192 (1992) 5
- Funatsu, T., see M. Tsuji 192 (1992) 362
- Gabriel, H., see H.H. von Grünberg 192 (1992) 503
- Garbow, J.R. and T. Gullion, The importance of precise timing in pulsed, rotor-synchronous MAS NMR 192 (1992) 71
- Gardner, P., see M.C. Asensio 192 (1992) 259
- Ghatlia, N.D., see A.L. Buchachenko 192 (1992) 139
- Glass, G.P., see K.K. Murray 192 (1992) 512
- Göhlich, H., see T. Lange 192 (1992) 544
- Goldberg, S.Y., E. Pines and D. Huppert, Proton scavenging in photoacid geminate recombination processes 192 (1992) 77
- Gomez Llorente, J.M., F. Borondo, N. Berenguer and R.M. Benito, Saddle point resonances in a bound system with classical chaos 192 (1992) 430
- Gömöry, Á., see Á. Somogyi 192 (1992) 221
- González-Elipe, A.R., see M.C. Asensio 192 (1992) 259
- Gorse, C., M. Bacal, R. Celiberto and M. Capitelli, Nonequilibrium plasma kinetics of D_2 in magnetic multicusp plasmas for D^- production 192 (1992) 161

| | |
|---|----------------|
| Grabowski, J.J., see R.R. Hung | 192 (1992) 249 |
| Grey, C.P. and W.S. Veeman, The detection of weak heteronuclear coupling between spin 1 and spin 1/2 nuclei in MAS NMR; $^{14}\text{N}/^{13}\text{C}/^1\text{H}$ triple resonance experiments | 192 (1992) 379 |
| Grimsrud, E.P., see W.B. Knighton | 192 (1992) 522 |
| Grupp, A., see N.S. Sariciftci | 192 (1992) 375 |
| Gruschus, J.M. and A. Kuki, Modelling ab initio non-bonded interactions for sigma bond, pi bond, and lone pair orbitals | 192 (1992) 205 |
| Gullion, T., see J.R. Garbow | 192 (1992) 71 |
| Hampel, C., K.A. Peterson and H.-J. Werner, A comparison of the efficiency and accuracy of the quadratic configuration interaction (QCISD), coupled cluster (CCSD), and Brueckner coupled cluster (BCCD) methods, Chem. Phys. Letters 190 (1992) 1. Erratum | 192 (1992) 332 |
| Handy, N.C., see M.J. Cohen | 192 (1992) 407 |
| Hashizume, T., see M. Taniguchi | 192 (1992) 117 |
| Hauser, A., Cooperative effects on the HS→LS relaxation in the $[\text{Fe}(\text{ptz})_6](\text{BF}_4)_2$ spin-crossover system | 192 (1992) 65 |
| Heinemann, D., see L. Yang | 192 (1992) 499 |
| Hernandez, R., see M.J. Cohen | 192 (1992) 407 |
| Hess, B.A., see G. Jansen | 192 (1992) 21 |
| Hillier, I.H., see W. Byers Brown | 192 (1992) 213 |
| Hippler, H. and J. Troe, Rate constants of the reaction $\text{HO} + \text{H}_2\text{O}_2 \rightarrow \text{HO}_2 + \text{H}_2\text{O}$ at $T \geq 1000$ K | 192 (1992) 333 |
| Hippler, M., F.A.H. Al-Janabi and J. Pfab, Photodissociation of jet-cooled methyl and <i>t</i> -butyl nitrite near 380 nm | 192 (1992) 173 |
| Hirano, T., see K. Sato | 192 (1992) 395 |
| Hirota, N., see S. Nagaoka | 192 (1992) 532 |
| Hiyama, M., S. Nanbu and S. Iwata, The excimer emission spectra and the interaction potential energy of the ground and excited states of He and alkali-metal ion systems | 192 (1992) 443 |
| Hop, C.E.C.A., see F.E. Wilkinson | 192 (1992) 517 |
| Hoshimoto, E., see S. Nagaoka | 192 (1992) 532 |
| Hsu, T.Y., see H.T. Liou | 192 (1992) 560 |
| Huang, M.-J., see N. Bodor | 192 (1992) 386 |
| Huang, Z.S., J.E. Verdasco, C. Wittig and R.A. Beaudet, High-resolution infrared diode laser spectroscopy of $\text{SO}(^3\Sigma^-)$ in a secondary-slit supersonic expansion | 192 (1992) 309 |
| Hudson, J.L., see M. Eiswirth | 192 (1992) 254 |
| Hung, R.R. and J.J. Grabowski, C_{70} : intersystem crossing and singlet oxygen production | 192 (1992) 249 |
| Hunter, J., see G. Alameddine | 192 (1992) 122 |
| Huppert, D., see S.Y. Goldberg | 192 (1992) 77 |
| Hurley, M.D., see O.J. Nielsen | 192 (1992) 82 |
| Hussain, Z., see Y. Zheng | 192 (1992) 108 |
| Huzinaga, S., see L. Seijo | 192 (1992) 217 |
| Ingman, L.P., see E.E. Ylinen | 192 (1992) 590 |
| Ito, H., see K. Kajikawa | 192 (1992) 113 |
| Itoh, A., see S. Nagaoka | 192 (1992) 532 |
| Iwabuchi, S., see K. Sato | 192 (1992) 395 |

- Iwata, S., see M. Hiyama 192 (1992) 443
- Jansen, G. and B.A. Hess, Ab initio interaction potentials between an Ar atom and the NH radical in the states $X^3\Sigma^-$, $a^1\Delta$ and $b^1\Sigma^+$ 192 (1992) 21
- Jug, K. and A.M. Köster, Nonsymmetrical orthogonalization as a consequence of charge and moment conservation 192 (1992) 437
- Kajihara, H., see F. Okada 192 (1992) 357
- Kajikawa, K., T. Anzai, H. Takezoe, A. Fukuda, S. Okada, H. Matsuda, H. Nakanishi, T. Abe and H. Ito, Second-harmonic generation in Langmuir and Langmuir-Blodgett films of a polymer with pendant chromophore 192 (1992) 113
- Kalcher, J. and A.F. Sax, The electron affinities of Si_2H_2 , Si_2H_3 , and Si_2H_4 192 (1992) 451
- Kappes, M.M., see G. Alameddine 192 (1992) 122
- Kar, T. and E. Sánchez Marcos, Three-center four-electron bonds and their indices 192 (1992) 14
- Khemani, K.C., see V.I. Srdanov 192 (1992) 243
- Kim, M.S., see Y.J. Lee 192 (1992) 89
- Kirtman, B., see V.I. Srdanov 192 (1992) 243
- Klein, D.J., see X. Liu 192 (1992) 331
- Klein, U.K.A., see A. Suwaiyan 192 (1992) 581
- Kleinermanns, K., see J. Schlütter 192 (1992) 94
- Klots, C.E., Steric factors for bimolecular reactions 192 (1992) 41
- Knickerbein, M.B., Electronic shell structure in the ionization potentials of copper clusters 192 (1992) 129
- Knighton, W.B., J.A. Bogner and E.P. Grimsrud, Thermal electron detachment rate constants for the molecular anion of perfluorobenzene 192 (1992) 522
- Koch, A., see V.I. Srdanov 192 (1992) 243
- Koda, S., see F. Okada 192 (1992) 357
- Koinuma, H., see K. Sato 192 (1992) 395
- Koivula, E., see E.E. Ylinen 192 (1992) 590
- Kolb, D., see L. Yang 192 (1992) 499
- Komninos, Y., see C.A. Nicolaides 192 (1992) 486
- Köster, A.M., see K. Jug 192 (1992) 437
- Kouno, H., see M. Tsuji 192 (1992) 362
- Kowalewski, J., see L. Mäler 192 (1992) 595
- Krischer, K., see M. Eiswirth 192 (1992) 254
- Kuki, A., see J.M. Gruschus 192 (1992) 205
- Lalowicz, Z.T., see E.E. Ylinen 192 (1992) 590
- Lang, J.M., Z.A. Dreger and H.G. Drickamer, Luminescence studies of rhenium(I) complexes under high pressure 192 (1992) 299
- Lange, T., H. Göhlich, U. Näher and T.P. Martin, Shell-dependent reactivity of sodium clusters with oxygen 192 (1992) 544
- Lee, Y., see J. Park 192 (1992) 138
- Lee, Y.J. and M.S. Kim, Anomalous translational energy upshift in collisionally activated dissociation of hexafluorobenzene molecular ion 192 (1992) 89
- Legon, A.C., see M.J. Atkins 192 (1992) 368
- Le Tilly, V., O. Sire, P.T.T. Wong and B. Alpert, pH dependence of hydrogen bond strengths in myoglobin α helices 192 (1992) 62

- Levine, R.D., see M. Ben-Nun 192 (1992) 472
- Li, L., see Y. Wang 192 (1992) 348
- Lin, H.M., see H.T. Liou 192 (1992) 560
- Lindgren, B., see M. Doverstål 192 (1992) 283
- Liou, H.T., P. Dan, T.Y. Hsu, H. Yang and H.M. Lin, The predissociation of CS₂ at 210 nm and the spectra of photofragment CS 192 (1992) 560
- Liu, X., T.G. Schmalz and D.J. Klein, Reply to Comment on "Favourable structures for higher fullerenes" 192 (1992) 331
- Liu, X. and J.K. Thomas, Ionic clusters in γ -irradiated zeolites and their transformation on increasing temperature 192 (1992) 555
- Lorent, V., see V. Aquilanti 192 (1992) 145
- Lorent, V., see V. Aquilanti 192 (1992) 153
- Lu, P.H., see Q.Z. Qin 192 (1992) 265
- Lübke, M., see M. Eiswirth 192 (1992) 254
- Luzzatti, E., see V. Aquilanti 192 (1992) 153
- Ma, H., see H. Qian 192 (1992) 338
- Magnera, T.F. and J. Michl, Photodissociation of Ar_{n-m}N_{2m}⁺ clusters ($n=2$ or 3 , $m=0-n$) 192 (1992) 99
- Mahrt, R.F., J. Yang and H. Bässler, Spectroscopic assessment of the role of disorder and polaron formation on electronic transport in molecularly doped polymers 192 (1992) 576
- Mäler, L. and J. Kowalewski, Cross-correlation effects in the longitudinal relaxation of heteronuclear spin systems 192 (1992) 595
- Mandal, S.H., see G. Sanyal 192 (1992) 55
- Manolopoulos, D.E., Comment on "Favourable structures for higher fullerenes" 192 (1992) 330
- Margolese, D., see V.I. Srdanov 192 (1992) 243
- Maric, Dj.M., see T.A. Claxton 192 (1992) 29
- Martin, T.P., see T. Lange 192 (1992) 544
- Mastromarino, J., see A. Suwaiyan 192 (1992) 581
- Matsuda, H., see K. Kajikawa 192 (1992) 113
- McBreen, P.H., see S. Serghini Monim 192 (1992) 547
- McMahon, T.B., see F.E. Wilkinson 192 (1992) 517
- Mehring, M., see N.S. Sariciftci 192 (1992) 375
- Meier, P.F., see T.A. Claxton 192 (1992) 29
- Meijer, G. and D.W. Chandler, Degenerate four-wave mixing on weak transitions in the gas phase using a tunable excimer laser 192 (1992) 1
- Memmert, U., see A. Feltz 192 (1992) 271
- Messmer, R.P. and C.H. Patterson, Long bonds in silicon clusters: a failure of conventional Møller-Plesset perturbation theory? 192 (1992) 277
- Michl, J., see T.F. Magnera 192 (1992) 99
- Miller, W.H., see M.J. Cohen 192 (1992) 407
- Mukai, K., see S. Nagaoka 192 (1992) 532
- Mukamel, S., see H.X. Wang 192 (1992) 417
- Mukherjee, D., see G. Sanyal 192 (1992) 55
- Muralidharan, S. and K. Yates, Bichromophoric anthracene derivatives with dual absorptive and emissive states 192 (1992) 571
- Murray, K.K., K.G. Unfried, G.P. Glass and R.F. Curl, Acetylene combustion reactions. Rate constant measurements of HCCO with O₂ and C₂H₂ 192 (1992) 512

- Nagaoka, S., A. Itoh, K. Mukai, E. Hoshimoto and N. Hirota, Investigation of the lowest excited triplet states of 2-(2'-hydroxyphenyl)benzothiazole and 2-(2'-hydroxyphenyl)benzoxazole by time-resolved electron paramagnetic resonance and molecular orbital calculations 192 (1992) 532
- Näher, U., see T. Lange 192 (1992) 544
- Nakanishi, H., see K. Kajikawa 192 (1992) 113
- Nanbu, S., see M. Hiyama 192 (1992) 443
- Nicolaides, C.A., N.C. Bacalis and Y. Komninos, Theory for the direct construction of diabatic states and application to the $\text{He}_2^+ \ ^2\Sigma_g^+$ spectrum 192 (1992) 486
- Nielsen, O.J., T. Ellermann, E. Bartkiewicz, T.J. Wallington and M.D. Hurley, UV absorption spectra, kinetics and mechanisms of the self-reaction of CHF_2O_2 radicals in the gas phase at 298 K 192 (1992) 82
- Nishimura, Y., see M. Tsuji 192 (1992) 362
- Noid, D.W., see B.G. Sumpter 192 (1992) 455
- Nordio, P.L., see A. Polimeno 192 (1992) 509
- Nunzi, J.-M., see F. Charra 192 (1992) 566
- Odriozola, J.A., see L.J. Alvarez 192 (1992) 463
- Okada, F., H. Kajihara and S. Koda, Emissions and relaxations of electronically excited O_2 produced by 193 nm irradiation in a low-temperature Ar crystal 192 (1992) 357
- Okada, S., see K. Kajikawa 192 (1992) 113
- Olivucci, M., see F. Bernardi 192 (1992) 229
- Park, J., Y. Lee and G.W. Flynn, Tunable diode laser probe of chlorine atoms produced from the photodissociation of a number of molecular precursors, *Chem. Phys. Letters* 186 (1991) 441. Erratum 192 (1992) 138
- Partridge, H., see M. Sodupe 192 (1992) 185
- Patterson, C.H., see R.P. Messmer 192 (1992) 277
- Peterson, K.A., see C. Hampel 192 (1992) 332
- Pfab, J., see M. Hippler 192 (1992) 173
- Pfeffer, N., see F. Charra 192 (1992) 566
- Pines, E., see S.Y. Goldberg 192 (1992) 77
- Pirani, F., see V. Aquilanti 192 (1992) 145
- Pirani, F., see V. Aquilanti 192 (1992) 153
- Polimeno, A. and P.L. Nordio, Kinetic regimes in coupled systems 192 (1992) 509
- Poolman, E., see V.I. Srdanov 192 (1992) 243
- Port, H., see V. Weiss 192 (1992) 289
- Punkkinen, M., see E.E. Ylinen 192 (1992) 590
- Qian, H., Q. Zhu, H. Ma and B.A. Thrush, High-resolution spectroscopy of ν_3 and $\nu_1 + \nu_3$ bands of SiD_4 192 (1992) 338
- Qin, Q.Z., P.H. Lu, Z.J. Zhuang and Q.K. Zheng, An angle-resolved TOF study on the UV laser-induced etching of $\text{InP}(100)$ surface with chlorine 192 (1992) 265
- Rao, C.N.R., see P. Santikary 192 (1992) 390
- Ricken, D., see M.C. Asensio 192 (1992) 259

- Robb, M.A., see F. Bernardi 192 (1992) 229
- Robbins, D.L., see K.F. Willey 192 (1992) 179
- Robinson, A.W., see M.C. Asensio 192 (1992) 259
- Roos, B.O., K. Andersson and M.P. Fülscher, Towards an accurate molecular orbital theory for excited states: the benzene molecule 192 (1992) 5
- Saab, A.P., see V.I. Srdanov 192 (1992) 243
- Sagnowski, S.F., see E.E. Ylinen 192 (1992) 590
- Sakurai, T., see M. Taniguchi 192 (1992) 117
- Sánchez Marcos, E., see T. Kar 192 (1992) 14
- Santikary, P., S. Yashonath and C.N.R. Rao, Molecular dynamics simulation of clathrates: noble gases in the cages of β -hydroquinone 192 (1992) 390
- Sanyal, G., S.H. Mandal and D. Mukherjee, Thermal averaging in quantum many-body systems: a non-perturbative thermal cluster cumulant approach 192 (1992) 55
- Sariciftci, N.S., A. Grupp and M. Mehring, Overhauser shift of the electron spin resonance in the conducting form of polythiophene 192 (1992) 375
- Sassenberg, U., see M. Doverstål 192 (1992) 283
- Sato, K., A. Uchiyama, S. Iwabuchi, T. Hirano and H. Koinuma, Anomalous low-lying lowest excited triplet state of $\text{SiH}_2\text{FCH}-\text{CH}_2$: an ab initio molecular orbital study 192 (1992) 395
- Sauter, B. and C. Bräuchle, Efficient persistent spectral hole-burning of free-base octaethylporphyrin adsorbed on γ -alumina between 1.6 and 90 K 192 (1992) 321
- Sax, A.F., see J. Kalcher 192 (1992) 451
- Schindler, K.-M., see M.C. Asensio 192 (1992) 259
- Schlütter, J. and K. Kleiner, OH($X^2\Pi$) state distribution from HNO_3 photodissociation at 212.5 and 270 nm 192 (1992) 94
- Schmalz, T.G., see X. Liu 192 (1992) 331
- Schreiber, M., see S. Abe 192 (1992) 425
- Seijo, L., Z. Barandiarán and S. Huzinaga, Atomic valence correlation energies from ab initio model potential calculations 192 (1992) 217
- Serghini Monim, S. and P.H. McBreen, Photochemistry of adsorbed states of diazirine on Pd(110) 192 (1992) 547
- Shavitt, I., The A_k and B_k approximate CI methods. Comment on a paper by Maynau and Heully 192 (1992) 135
- Shirley, D.A., see Y. Zheng 192 (1992) 108
- Simas, A.M., see H.F.M. da Costa 192 (1992) 195
- Sire, O., see V. Le Tilly 192 (1992) 62
- Smith Jr., V.H., see H.F.M. da Costa 192 (1992) 195
- Sodupe, M., C.W. Bauschlicher Jr. and H. Partridge, A theoretical study of $\text{Mg}(\text{CO}_2)_n^+$ and $\text{Sr}(\text{CO}_2)_n^+$ for $n=1$ and 2 and Mg_2CO_2^+ 192 (1992) 185
- Somogyi, Á. and Á. Gömöry, A comparative study of Mayer's indexes in B_nH_m species 192 (1992) 221
- Srdanov, V.I., A.P. Saab, D. Margolese, E. Poolman, K.C. Khemani, A. Koch, F. Wudl, B. Kirtman and G.D. Stucky, Absorption spectra and electronic properties of alkali-metal-doped C_{60} 192 (1992) 243
- Stucky, G.D., see V.I. Srdanov 192 (1992) 243
- Su, W.-P., see S. Abe 192 (1992) 425
- Sumpter, B.G. and D.W. Noid, Potential energy surfaces for macromolecules. A neural network technique 192 (1992) 455

- Suwaiyan, A., J. Mastromarino and U.K.A. Klein, Absorption, fluorescence and saturation of $^{127}\text{I}_2$ in the region 16999.100–17001.300 cm^{-1} 192 (1992) 581
- Takezoe, H., see K. Kajikawa 192 (1992) 113
- Tanaka, K., see M. Taniguchi 192 (1992) 117
- Taniguchi, M., K. Tanaka, T. Hashizume and T. Sakurai, Boundary structures of the $(n \times 1)$ added rows of Ag–O chains on an Ag(110) surface 192 (1992) 117
- Tarasov, V.F., see A.L. Buchachenko 192 (1992) 139
- Thiel, W., see D. Bakowies 192 (1992) 236
- Thomas, J.K., see X. Liu 192 (1992) 555
- Thrush, B.A., see H. Qian 192 (1992) 338
- Tolbert, W.A., see X. Wen 192 (1992) 315
- Troe, J., see H. Hippler 192 (1992) 333
- Trollope, K., see W. Byers Brown 192 (1992) 213
- Trsic, M., see H.F.M. da Costa 192 (1992) 195
- Tsuji, M., T. Funatsu, H. Kouno and Y. Nishimura, Dissociative charge-transfer reactions of Ar^+ with chloromethanes at thermal energy 192 (1992) 362
- Turro, N.J., see A.L. Buchachenko 192 (1992) 139
- Uchiyama, A., see K. Sato 192 (1992) 395
- Unfried, K.G., see K.K. Murray 192 (1992) 512
- Veeman, W.S., see C.P. Grey 192 (1992) 379
- Venanzi, C.A., see T.J. Venanzi 192 (1992) 469
- Venanzi, T.J. and C.A. Venanzi, Barriers to C–C rotation in molecules with C=C and C=N conjugated bonds: a molecular orbital study 192 (1992) 469
- Venturini, A., see F. Bernardi 192 (1992) 229
- Verdasco, J.E., see Z.S. Huang 192 (1992) 309
- Vetterhöffer, J., see A. Campargue 192 (1992) 353
- Vincent, M.A., see W. Byers Brown 192 (1992) 213
- Von Grünberg, H.H. and H. Gabriel, Lattice distortion of Ar and Xe crystals caused by a hydrogenic point defect 192 (1992) 503
- Wallington, T.J., see O.J. Nielsen 192 (1992) 82
- Wallwork, A.L., see M.J. Atkins 192 (1992) 368
- Wang, H.X. and S. Mukamel, Optical response of conjugated polyenes. Electrons, holes and intermediate excitons 192 (1992) 417
- Wang, Y., L. Li and W.A. Chupka, $(2+1)$ resonance-enhanced multiphoton ionization studies of the $\text{CH D}^2\Pi(\nu=2)$ state 192 (1992) 348
- Weiss, V., H. Port and H.C. Wolf, Direct optical detection of the triplet T_1 -state in diphenylpolyene single crystals 192 (1992) 289
- Wen, X., W.A. Tolbert and D.D. Dlott, Multiphonon up-pumping and molecular hot spots in superheated polymers studied by ultrafast optical calorimetry 192 (1992) 315
- Werner, H.-J., see C. Hampel 192 (1992) 332
- Wilkinson, F.E., C.E.C.A. Hop and T.B. McMahon, Low energy collision-induced dissociation of gas phase fluoride–alcohol adduct ions 192 (1992) 517
- Wiley, K.F., C.S. Yeh, D.L. Robbins and M.A. Duncan, Photodissociation spectroscopy of $\text{Mg}^+ - \text{CO}_2$ 192 (1992) 179

| | |
|--|----------------|
| Williams, D.E., OREMTWA prediction of the structure of benzene clusters: transition from subsidiary to global energy minima | 192 (1992) 538 |
| Wittig, C., see Z.S. Huang | 192 (1992) 309 |
| Wolf, H.C., see V. Weiss | 192 (1992) 289 |
| Wolf, W., see M. Eiswirth | 192 (1992) 254 |
| Wong, P.T.T., see V. Le Tilly | 192 (1992) 62 |
| Woodruff, D.P., see M.C. Asensio | 192 (1992) 259 |
| Wudl, F., see V.I. Srdanov | 192 (1992) 243 |
| | |
| Yang, H., see H.T. Liou | 192 (1992) 560 |
| Yang, J., see R.F. Mahrt | 192 (1992) 576 |
| Yang, L., D. Heinemann and D. Kolb, Relativistic self-consistent calculations for small diatomic molecules by the finite element method | 192 (1992) 499 |
| Yang, W., see T.D. Crawford | 192 (1992) 45 |
| Yashonath, S., see P. Santikary | 192 (1992) 390 |
| Yates, K., see S. Muralidharan | 192 (1992) 571 |
| Yeh, C.S., see K.F. Willey | 192 (1992) 179 |
| Ylinen, E.E., Z.T. Lalowicz, S.F. Sagnowski, M. Punkkinen, E. Koivula and L.P. Ingman, Deuteron NMR spectrum of ND_4VO_3 and some other ammonium compounds | 192 (1992) 590 |
| Yu, H., see M. Doverstål | 192 (1992) 283 |
| | |
| Zheng, Q.K., see Q.Z. Qin | 192 (1992) 265 |
| Zheng, Y., Z. Hussain and D.A. Shirley, Amplitudes and phase shifts in electron-atom forward scattering: strong dependence on atomic valence electrons | 192 (1992) 108 |
| Zhu, Q., see H. Qian | 192 (1992) 338 |
| Zhuang, Z.J., see Q.Z. Qin | 192 (1992) 265 |

